

ADDENDUM NO. 2

**VILLAGE OF BYESVILLE
SANITARY SEWER REHABILITATION – PHASE II**

Bids will be received until **11:00 A.M., local time, July 18, 2019.**

This Addendum to the Project Manual is issued to modify, explain or correct the original Project Manual and is hereby made part of the Contract Documents. Insert the number of this Addendum in the blank space provided in the Bid Form, Section 00400, page 1.

A. DIVISION 2 – SITE WORK

1. SECTION 02755 – CIPP LINING

- a. Page 02755-2; PART 1 – GENERAL, Paragraph 1.03.D., RELATED SECTIONS.

DELETE this paragraph in its entirety.

2. SECTION 02770 – ONE-PIECE MAIN-TO-LATERAL CURED-IN-PLACE LINER ASSEMBLY

- a. Page 02770-2; PART 2 – PRODUCTS, Paragraph 2.04.E., MATERIAL, Hydrophilic Gasket Seals.


REPLACE the last sentence of this paragraph with the following sentence:

“With approval of the Owner and Engineer, a hydrophilic paste or caulk that swells to more than 100% its original thickness may be considered as an alternate to using the hydrophilic gaskets.”

**BIDDERS MUST ACKNOWLEDGE RECEIPT OF THIS ADDENDUM
IN THE SPACE PROVIDED IN THE BID FORM**

Issued By: CT Consultants, Inc.
148 North High Street
Gahanna, OH 43230

Date: July 15, 2019



ADDENDUM RECEIVED FORM

NOTE: All Bidders shall acknowledge receipt of this Addendum by noting such on the Bid Form, Section 00400, page 1. All bid document holders are requested to acknowledge receipt by faxing the following confirmation of receipt to CT Consultants, Inc. @ (614) 471-7320.

I HAVE RECEIVED AND READ ADDENDUM NO. 2 (VILLAGE OF BYESVILLE – SANITARY SEWER REHABILITATION – PHASE II).

NAME: _____

COMPANY: _____

SIGNATURE: _____

DATE: _____