

SECTION 220518 - ESCUTCHEONS FOR PLUMBING PIPING

PART 1 - GENERAL

1.1 SUBMITTAL REQUIRMENTS

- A. Product Data:
 - 1. Provide product datasheets for all products specified under this section.
 - 2. Clearly state model numbers on all submittals.

PART 2 - PRODUCTS

2.1 ESCUTCHEONS

- A. One-Piece, Cast-Brass Type: With polished, chrome-plated finish and setscrew fastener.
- B. Hinged or Split-Casting Brass Type: With polished, chrome-plated finish and with concealed hinge and setscrew.
- C. Manufacturer's: Subject to compliance with requirements available manufacturer's offering products that may be incorporated into the work include, but limited to the following:
 - 1. AWI
 - 2. Brass Craft
 - 3. Mcguire Manufacturing Co., inc.
 - 4. Watts
 - 5. Pro-Flo

PART 3 - EXECUTION

3.1 INSTALLATION

- A. Provide escutcheons for piping penetrations of walls, ceilings, and finished floors.
- B. Provide escutcheons with ID to closely fit around pipe, tube, and/or insulated piping and with OD that completely covers rough penetration opening of walls, ceilings, floors, casework, surrounds, and countertops in finished spaces.
 - 1. Escutcheons for
 - a. New piping with fitting or sleeve protruding from wall: One-piece, deep-pattern type.

- b. New bare and/or insulate piping at wall, floor, and ceiling penetrations in finished spaces: Hinged or split-cast, shallow-pattern type.
- c. Fixtures and valve bodies in finished spaces.

3.2 FIELD QUALITY CONTROL

- A. Replace broken, damaged, and/or missing escutcheons using new materials.

END OF SECTION 220518