


LEGEND

- (1) EXISTING ASPHALT PAVEMENT
- (2) ITEM 254 PAVEMENT PLANING, ASPHALT CONCRETE, FULL WIDTH (1-1/2")
- (3) ITEM SPL ASPHALT REJUVENATING AGENT
- (4) ITEM 441 ASPHALT CONCRETE SURFACE COURSE, TYPE 1 (448), PG 64-22 (1-1/4")
- (5) ITEM 441 ASPHALT CONCRETE MISC.: 1/2" STRESS ABSORBING MEMBRANE INTERLAYER (SAMI) TYPE 1
- (6) EXISTING ROLLED CURB AND GUTTER
- (7) 3" WIDE SEAL OF ASPHALT JOINT SEALER WHERE ASPHALT MEETS CURB / EX. PAVEMENT FOLLOWING PLACEMENT OF ASPHALT CONCRETE SURFACE

		SSUE DATE: JAN. 2020	BEACON HILLS GRIND & RESURFACE CITY OF SPRINGDALE HAMILTON COUNTY, OHIO	PROJECT NO.	
	your trusted advisor consultants engineers architects	SCALE: N.T.S.		190918	
(-		DESIGNED BY: DSHV		DISCIPLINE	
		DRAWN BY: SFRA			
	planners	DRAWN BY: SFRA		SHEET	OF
	-	CHECKED BY: DSHV		1	3



NOTES:

- 1.) THE FINAL AREAS TO BE REPAIRED UNDER THIS ITEM WILL BE DESIGNATED IN THE FIELD BY THE ENGINEER AND THE QUANTITY OF WORK TO BE COVERED UNDER THIS ITEM WILL BE BASED UPON MEASUREMENT OF THESE DESIGNATED AREAS.
- 2.) THE UNIT BID PRICE FOR "ITEM 251, PARTIAL DEPTH ASPHALT PAVEMENT REPAIR, SHALL INCLUDE ALL THE COSTS INCURRED IN THE REMOVAL BY MILLING OF THE EXISTING ASPHALT PAVEMENT TO A DEPTH SPECIFIED BY THE ENGINEER (MINIMUM DEPTH OF 2"), (MAXIMUM DEPTH OF 4"), AND THE PLACING OF THE ASPHALT PAVEMENT.

